

NintendoWare for CTR

c3es File Format User's Guide

2013/02/25

Version 1.6.3

**The content of this document is highly confidential
and should be handled accordingly.**

Confidential

These coded instructions, statements, and computer programs contain proprietary information of Nintendo and/or its licensed developers and are protected by national and international copyright laws. They may not be disclosed to third parties or copied or duplicated in any form, in whole or in part, without the prior written consent of Nintendo.

Table of Contents

1	Introduction	4
2	c3es File Format	5
2.1	c3es File Structure	5
2.2	c3es File Authentication	5
2.3	List of Keywords.....	5
3	Loading and Saving c3es Files.....	9
3.1	Exporting from Export Plug-Ins	9
3.2	Importing to Export Plug-Ins	9
4	Example c3es File.....	10
	Revision History	12

Tables

Table 2-1 List of Keywords.....	5
---------------------------------	---

1 Introduction

The c3es (**C**TR **3D E**xport **S**ettings) file is a text file that contains the option settings for the 3D DCC tool export plug-ins provided by NintendoWare for CTR.

These c3es files can be both input to and output from the export plug-ins.

These files share a common format that is not dependent on the 3D DCC tool.

Every c3es file is named with the extension `.c3es`.

2 c3es File Format

2.1 c3es File Structure

The c3es file is composed of arguments that describe the keywords and the details of the settings of the export plug-in options.

Lines that begin with the # (hash mark or pound sign) are comment lines. These lines are ignored when the c3es file is input to an export plug-in.

The comment lines shown in Chapter 4 Example c3es File are always output.

2.2 c3es File Authentication

The c3es file must always begin with a comment line as the first line. A comment line begins with the # symbol followed by a space. The comment appears following the space.

For example:

```
# NW4C_Export settings
```

Note: The # symbol is separated by one space from the rest of the comment line.

An error occurs if the first line is invalid.

2.3 List of Keywords

Table 2-1 List of Keywords

Keyword	Description	Example
NW4C_Export settings		
SettingsVersion	Version of c3es file format. Text string.	SettingsVersion="1.5.0"
GeneratorName	Name of the export plug-in. Text string (same format as intermediate file).	GeneratorName="Maya 2010 NW4C_Export"
GeneratorVersion	Version of the export plug-in. Text string (same format as intermediate file).	GeneratorVersion="1.4.0"
Date	Date c3es file was created. Text string (same format as intermediate file).	Date="2010-01-18T10:00:00"
Output Options		
ProcessMode	Output mode. [Single, AnimationRange]	ProcessMode="Single"
ExportTarget	Export target. [All, Selection]	ExportTarget="all"
OutputFileName	Export filename. Character string.	OutputFileName="output"

Keyword	Description	Example
OutputMode	Export mode. [File, CreativeStudio, 3DEditor]	OutputMode="CreativeStudio"
OutputFolder	Location of export target folder where output is going. Text string.	OutputFolder="C:/data/"
MergeCmdl	Flag for cmdl merge. [true, false]	MergeCmdl="true"
MergeCmdlPath	Location of cmdl to merge. Character string.	MergeCmdlPath="C:/data/test.cmdl"
CopyRelatedFiles	Copy setting for files dependent on merge processing.	CopyRelatedFiles="false"
General Options		
Magnify	Magnification to apply to model. Floating point number.	Magnify="1.0"
FrameRange	Target range for exported frames. [All, Playback, Range] Note: The value "Playback" is exported only from Maya.	FrameRange="all"
StartFrame	Start frame. Integer.	StartFrame="1"
EndFrame	End frame. Integer.	EndFrame="100"
RemoveNamespace (Output from Maya only.)	Namespace deletion flag [true, false]	RemoveNamespace="false"
Output File Selection		
OutputCmdl	cmdl file export flag. [true, false]	OutputCmdl="true"
OutputCtex	ctex, rplt file export flag. [true, false]	OutputCtex="true"
OutputCmdla	cmdla file export flag. [true, false]	OutputCmdla="true"
OutputCskla	cskla file export flag. [true, false]	OutputCskla="true"
OutputCmata	cmata file export flag. [true, false]	OutputCmata="false"
OutputCcam	Ccam file export flag. [true, false]	OutputCcam="true"
OutputCmcla	cmcla file export flag. [true, false]	OutputCmcla="false"
OutputCmtpa	cmtpa file export flag. [true, false]	OutputCmtpa="false"
OutputCmtsa	cmtsa file output flag. [true, false]	OutputCmtsa="false"
OutputCcam	ccam file export flag.	OutputCcam="true"
OutputClgt	clgt file export flag. [true, false]	OutputClgt="false"
OutputCenv	cenv file export flag. [true, false]	OutputCenv="true"

Keyword	Description	Example
Optimization Options		
CompressNode	Node-compression mode for overall model. [None, Cull, CullUninfluential, UniteCompressible, UniteAll]	CompressNode="None"
CompressMaterial	Flag for material compression. [true, false]	CompressMaterial="false"
OptimizePrimitive	Flag for optimization of primitives. [true, false]	OptimizePrimitive="false"
ConvertToModel	Flag for converting to model. [true, false]	ConvertToModel = "false"
Quantization Options		
QuantizePos	Precision of vertex coordinates when converting to binary data. [Float, Short, Byte]	QuantizePos="Float"
QuantizeNrm	Precision of normal when converting to binary data. [Float, Short, Byte]	QuantizeNrm="Float"
QuantizeTex	Precision of texture coordinates when converting to binary data. [Float, Short, Byte]	QuantizeTex="Float"
UnifiedQuantizeScale	Unified quantize scale flag. [true; false]	UnifiedQuantizeScale="true"
Model Options		
AdjustSkinning	How to determine skinning mode to export. [None, RigidSkinning, SmoothSkinning]	AdjustSkinning = "true"
MeshVisibilityMode	How to apply visibility animation. [BindByIndex, BindByName]	MeshVisibilityMode = "BindByName"
MaxReservedUniformRegisters	Number of reserved uniform registers. [0 - 60]	MaxReservedUniformRegisters = "20"
Animation Options		
BakeAllAnim	Flag for baking entire animation. [true, false]	BakeAllAnim="true"
FramePrecision	Frame precision when animation curve data is created automatically. [1.0, 0.5, 0.2, 0.1]	FramePrecision="1.0"
LoopAnim	Flag for animation looping. [true, false]	LoopAnim="true"
FrameFormat	Flag for saving animation to binary data in frame format. A value of true indicates frame format (non-key frame format). [true, false]	FrameFormat="false"
ScaleQuantizeQuality	Precision when converting the bone's Scale animation into binary data. [0 - 9]	ScaleQuantizeQuality="9"
RotateQuantizeQuality	Precision when converting the bone's Rotate animation into binary data. [0 - 9]	RotateQuantizeQuality="9"

Keyword	Description	Example
TranslateQuantizeQuality	Precision when converting the bone's Translate animation into binary data. [0 - 9]	TranslateQuantizeQuality="9"
Tolerance Options		
ToleranceScale	Tolerance for bone Scale animation. Floating point number.	ToleranceScale="0.1"
ToleranceRotate	Tolerance for bone Rotate animation. Floating point number.	ToleranceRotate="0.1"
ToleranceTranslate	Tolerance for bone Translate animation. Floating point number.	ToleranceTranslate="0.01"
ToleranceTexScale	Tolerance for the texture SRT animation's Scale value. Floating point number.	ToleranceTexScale="0.1"
ToleranceTexRotate	Tolerance for the texture SRT animation's Rotate value. Floating point number.	ToleranceTexRotate="0.1"
ToleranceTexTranslate	Tolerance for the texture SRT animation's Translate value. Floating point number.	ToleranceTexTranslate="0.01"
ToleranceColor	Tolerance for color animation's color values and alpha value. Floating point number.	ToleranceColor="0.001"
Script Options		
PreExportScript	Script executed before export.	PreExportScript="rename pCube1 box1"
PostExportScript	Script executed after export.	PostExportScript="rename box1 pCube1"

Supplemental information:

Keywords do not overlap.

Data is output in the same order in which the keywords are shown in the table.

In describing the values for `OutputFolder`, the "/" symbol is used as the path delimiter.

Output is optional for the decimal fraction part of the floating point number.

3 Loading and Saving c3es Files

3.1 Exporting from Export Plug-Ins ---

All items configured in the options window of the export plug-ins (including shaded items) can be exported to the c3es file.

3.2 Importing to Export Plug-Ins ---

When a c3es file is imported to the export plug-ins, only those keywords and arguments that are correctly configured in the file are reflected in the option settings of the export plug-ins. Keywords are ignored if they or their associated arguments are configured incorrectly.

If the `FrameRange` keyword is set to “Playback” in the c3es file, but the 3D DCC tool does not support the notion of playback, the keyword will be interpreted as set to “All” when the file is imported to the tool.

4 Example c3es File

Following is an example of a c3es file as exported from Maya 2010.

```
# NW4C_Export settings
SettingsVersion="1.5.0"
GeneratorName="Maya 2010 NW4C_Export"
GeneratorVersion="1.4.0"

# Output Options
ProcessMode="Single"
ExportTarget="All"
OutputFileName="out"
OutputMode="File"
OutputFolder="C:/data/"
MergeCmdl="false"
MergeCmdlPath=""
CopyRelatedFiles="false"

# General Options
Magnify="1.0"
FrameRange="All"
StartFrame="1"
EndFrame="100"
RemoveNamespace="false"

# Output File Selection
OutputCmdl="true"
OutputCtex="true"
OutputCmdla="false"
OutputCskla="false"
OutputCmata="false"
OutputCmcla="false"
OutputCmtpa="false"
OutputCmtsa="false"
OutputCcam="false"
OutputClgt="false"
OutputCenv="false"

# Optimization Options
CompressNode="None"
```

```
CompressMaterial="false"
OptimizePrimitive="true"
ConvertToModel="true"

# Quantization Options
QuantizePos="Float"
QuantizeNrm="Float"
QuantizeTex="Float"
UnifiedQuantizeFlag="True"

# Model Options
AdjustSkinning="None"
MeshVisibilityMode="BindByIndex"
MaxReservedUniformRegisters="0"

# Animation Options
BakeAllAnim="true"
FramePrecision="1.0"
LoopAnim="false"
FrameFormat="false"
ScaleQuantizeQuality="9"
RotateQuantizeQuality="9"
TranslateQuantizeQuality="9"

# Tolerance Options
ToleranceScale="0.1"
ToleranceRotate="0.1"
ToleranceTranslate="0.01"
ToleranceTexScale="0.1"
ToleranceTexRotate="0.1"
ToleranceTexTranslate="0.01"
ToleranceColor="0.001"

# Script Options
PreExportScript="rename pCube1 box1"
PostExportScript="rename box1 pCube1"
```

Revision History

Version	Revision Date	Category	Description
1.6.3	2013/02/25	Added	- Added <code>PreExportScript</code>. - Added <code>PostExportScript</code>.
1.6.2	2011/11/21	Changed	Added to the description of <code>FrameFormat</code>.
1.6.1	2011/10/07	Deleted	Deleted the deprecated option <code>UniteBelow</code>.
1.6.0	2011/08/27	Added	Added <code>SmoothSkinning</code> to the settings values for <code>AdjustSkinning</code>.
1.5.0	2011/03/24	Added	Added <code>UnifiedQuantizeScale</code>
1.4.0	2011/02/16	Changed	- Added <code>3DEditor</code> to setting values for <code>OutputMode</code>. - Added <code>OutputCmcla</code>. - Added <code>OutputCmtpa</code>. - Added <code>OutputCmtsa</code>. - Abolished <code>NonUniformScale</code>.
1.3.0	2010/12/09	Added	Added <code>CopyRelatedFiles</code>.
1.2.0	2010/10/25	Changed	- Added <code>AdjustSkinning</code>. - Added <code>MeshVisibilityMode</code>. - Deprecated <code>QuantizeQuality</code>. - Added <code>ScaleQuantizeQuality</code>. - Added <code>RotateQuantizeQuality</code>. - Added <code>TranslateQuantizeQuality</code>. - Added <code>ToleranceTexScale</code>. - Added <code>ToleranceTexRotate</code>. - Added <code>ToleranceTexTranslate</code>. - Added <code>ToleranceColor</code>.
1.1.0	2010/10/01	Changed	- Added <code>ProcessMode</code>. - Added <code>OutputCmdla</code>. - Added <code>QuantizeQuality</code>. - Deprecated <code>BinPrecisionScale</code>, <code>BinPrecisionRotate</code>, and <code>BinPrecisionTranslate</code>.
0.9.0	2010/07/15	Added	Added <code>OutputMode</code>.
0.8.0	2010/06/21	Changed	- Moved the Quantization Options <code>Frame Format</code>, <code>Translate Precision</code>, <code>Rotate Precision</code>, and <code>Scale Precision</code> to the <code>Animation Options</code>. - Added <code>UniteAll</code> and <code>UniteBelow</code> to the contents of <code>CompressNode</code>. - Added <code>OutputCcam</code> and <code>OutputCenv</code>. - Added <code>MaxReservedUniformRegisters</code>. - Added <code>CompressMaterial</code> and <code>ConvertToModel</code>.

Version	Revision Date	Category	Description
			• Changed <code>OutputClit</code> to <code>OutputClgt</code>.
0.7.0	2010/05/14	Changed	• Changed <code>SettingsVersion</code> to 0.7.0. • Added <code>MergeCmdl</code>, <code>MergeCmdlPath</code>, <code>OutputCmata</code> and <code>FrameFormat</code> • Added <code>CullUninfluential</code> and <code>UniteCompressible</code> to the contents of <code>CompressNode</code>.
0.5.0	2010/02/12	—	Initial version.

Maya is a trademark or a registered trademark of Autodesk Inc. in the U.S. and other countries.

All other company and product names in this document are the registered trademarks or trademarks of their respective companies.

© 2010–2014 Nintendo Co., Ltd./HAL
Laboratory, Inc.

The contents of this document cannot be
duplicated, copied, reprinted, transferred,
distributed, or loaned in whole or in part
without the prior approval of Nintendo.